

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	14	("6571253").URPN.	USPAT	OR	ON	2007/10/25 19:01
L7	2	xml xslt compil\$ (data near stor\$) xPath xpathnodeiterator xpathnavigator info set dom (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:01
L8	2	xml xslt compil\$ (data near stor\$) xPath xpathnodeiterator xpathnavigator dom (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:01
L9	2	xml xslt compil\$ (data near stor\$) xPath xpathnodeiterator xpathnavigator (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:01
L10	3	xml xslt compil\$ (data near stor\$) xPath xpathnodeiterator xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:01
L11	3	xml xslt compil\$ XPath xpathnodeiterator xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:01
L12	270	xml xslt compil\$ XPath	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:01
L14	5	xml xslt compil\$ XPath xpathnodeiterator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:01
L15	6	xml xslt compil\$ XPath xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:01
L17	2	((("6,256,678") or ("6,418.448") or ("6,209,124"))).PN. or ((2003/0074206) or (2003/0051236) or (2002/0169679) or (2003/0084120)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/10/25 19:01
L19	0	action with fram with stack	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:01
L20	2458171	e	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:01
L21	158	action with frame with stack	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:01
L22	125	action with frame with stack	USPAT	AND	ON	2007/10/25 19:01
L23	0	L22 and xml	USPAT	AND	ON	2007/10/25 19:02
L24	0	L21 and xml	USPAT	AND	ON	2007/10/25 19:02

EAST Search History

L25	1	L21 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L26	364	action with frame with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L27	1	L26 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L28	753	\$xml xsl\$ xpath\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L29	753	\$3xml xsl\$ xpath\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L30	199	L29 and stack\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L31	573	L29 and ((select\$5 with output) view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L32	173	L30 and ((select\$5 with output) view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02

EAST Search History

L33	168	L32 and format\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L34	69	L33 and compil\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L35	60	L34 and ((data near stor\$3) datastor\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L36	42	L34 and (common with (format\$ represent\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L37	36	L35 and (common with (format\$ represent\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L39	1713	xpath	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L40	80	x with path with navigat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L43	6	xpath with iterat\$	USPAT	OR	ON	2007/10/25 19:02
L45	6	xpathnodeiterator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02

EAST Search History

L48	7	xpathdocument	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L49	1713	xpath neardocument	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L50	2	xpath near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L51	0	xpathnode near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L52	1	xpathnod\$ near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L53	1	xpathnod\$ with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L54	13	xpathnod\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L57	1	xpathnod\$ with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02

EAST Search History

L58	0	xpathnode with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L62	1	L61 and (data adj store)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L63	0	L61 and (datastore)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L64	0	(external with reference with resolv\$) and L61	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L65	386	(external with reference with resolv\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L67	0	L65 same (css xslt)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L68	1	L61 and stack	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L69	0	L62 and L68	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L71	0	L70 and L68	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L72	0	L61 and ((action event) with stack)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L73	158	action with frame with stack	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L74	0	L73 and L61	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L75	1	L73 and xml	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L77	2264	stack and xml and transform\$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L78	509	stack and xml and transform\$	USPAT	OR	ON	2007/10/25 19:02
L81	687	campbell.xa.	USPAT	OR	ON	2007/10/25 19:02

EAST Search History

L82	0	campbell.xa. and josh.xa.	USPAT	OR	ON	2007/10/25 19:02
L83	31	campbell.xa. and joshua.xa.	USPAT	OR	ON	2007/10/25 19:02
L85	1215684	output\$ (pull\$5 push\$5) and subset ((style adj sheet) transform\$ translat\$ convert\$ format\$ view\$5 xslt) and select\$6 and xml	USPAT	OR	ON	2007/10/25 19:02
L86	21191	output\$ and (pull\$5 push\$5) and subset ((style adj sheet) transform\$ translat\$ convert\$ format\$ view\$5 xslt) and select\$6 and xml	USPAT	OR	ON	2007/10/25 19:02
L87	774	output\$ and (pull\$5 push\$5) and subset and ((style adj sheet) transform\$ translat\$ convert\$ format\$ view\$5 xslt) and select\$6 and xml	USPAT	OR	ON	2007/10/25 19:02
L89	132	L88 not microsoft.as.	USPAT	OR	ON	2007/10/25 19:02
L90	293	resolv\$ with external with (link\$ reference\$)	USPAT	OR	ON	2007/10/25 19:02
L91	2969369	resolv\$ adj external adjh (link\$ reference\$)	USPAT	OR	ON	2007/10/25 19:02
L94	0	L93 and L92	USPAT	OR	ON	2007/10/25 19:02
L95	0	L88 and L92	USPAT	OR	ON	2007/10/25 19:02
L96	0	L92 and (action adj frame adj stack)	USPAT	OR	ON	2007/10/25 19:02
L97	0	(action adj frame adj stack)	USPAT	OR	ON	2007/10/25 19:02
L98	0	L92 and L61	USPAT	OR	ON	2007/10/25 19:02
L99	1	L92 and xml	USPAT	OR	ON	2007/10/25 19:02
L100	1	L92 and xsl\$	USPAT	OR	ON	2007/10/25 19:02
L101	0	L92 and (style with sheet)	USPAT	OR	ON	2007/10/25 19:02
L104	0	L103 and (pattern near match\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L105	0	L103 and (root near action)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L107	0	L103 and (root near compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L108	0	L103 and (root with compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L109	0	L103 and (root same compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02

EAST Search History

L110	2	L103 and (compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L111	0	L103 and (compil\$ near action)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L112	0	L103 and (compil\$ with action)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L113	1937	(transform\$ translat\$) with xml with (documents items) with (xhtml \$3xml)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L114	591	(transform\$ translat\$) with xml with (documents items) with (format)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L116	139	(transform\$ translat\$) with xml with (documents items) with (format) with \$3xml	USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L119	1097	(transform\$ translat\$ conver\$) with xml with ("documents") with (format) with \$3xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 19:02
L126	14	("6571253").URPN.	USPAT	OR	ON	2007/10/25 19:02
L127	2	xml xslt compil\$ (data near stor\$) xPath xpathnodeiterator xpathnavigator info set dom (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L128	2	xml xslt compil\$ (data near stor\$) xPath xpathnodeiterator xpathnavigator dom (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L129	2	xml xslt compil\$ (data near stor\$) xPath xpathnodeiterator xpathnavigator (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L130	3	xml xslt compil\$ (data near stor\$) xPath xpathnodeiterator xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L131	3	xml xslt compil\$ xPath xpathnodeiterator xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L132	270	xml xslt compil\$ xPath	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L133	5	xml xslt compil\$ xPath xpathnodeiterator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02

EAST Search History

L134	6	xml xslt compil\$ xPath xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L135	2	((("6,256,678") or ("6,418.448") or ("6,209,124"))).PN. or ((2003/0074206) or (2003/0051236) or (2002/0169679) or (2003/0084120)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/10/25 19:02
L136	0	action with fram with stack	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L137	2458171	e	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L138	158	action with frame with stack	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L139	125	action with frame with stack	USPAT	AND	ON	2007/10/25 19:02
L140	0	L139 and xml	USPAT	AND	ON	2007/10/25 19:02
L141	0	L138 and xml	USPAT	AND	ON	2007/10/25 19:02
L142	1	L138 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L143	364	action with frame with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L144	1	L143 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L145	753	\$xml xsl\$ xpath\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L146	753	\$3xml xsl\$ xpath\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02

EAST Search History

L147	199	L146 and stack\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L148	573	L146 and ((select\$5 with output) view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L149	173	L147 and ((select\$5 with output) view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L150	168	L149 and format\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L151	69	L150 and compil\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L152	60	L151 and ((data near stor\$3) datastor\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L153	42	L151 and (common with (format\$ represent\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L154	36	L152 and (common with (format\$ represent\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02

EAST Search History

L155	1713	xpath	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L156	80	x with path with navigat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L157	6	xpath with iterat\$	USPAT	OR	ON	2007/10/25 19:02
L158	6	xpathnodeiterator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L159	7	xpathdocument	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L160	1713	xpath neardocument	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L161	2	xpath near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L162	0	xpathnode near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L163	1	xpathnod\$ near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02

EAST Search History

L164	1	xpathnod\$ with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L165	13	xpathnod\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L166	1	xpathnod\$ with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L167	0	xpathnode with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L169	1	L168 and (data adj store)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L170	0	L168 and (datastore)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L171	0	(external with reference with resolv\$) and L168	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L172	386	(external with reference with resolv\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L173	0	L172 same (css xslt)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L174	1	L168 and stack	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L175	0	L169 and L174	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L176	1	L169 and compil\$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02

EAST Search History

L177	0	L168 and ((action event) with stack)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L178	158	action with frame with stack	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L179	0	L178 and L168	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L180	1	L178 and xml	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L181	2264	stack and xml and transform\$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L182	509	stack and xml and transform\$	USPAT	OR	ON	2007/10/25 19:02
L183	687	campbell.xa.	USPAT	OR	ON	2007/10/25 19:02
L184	0	campbell.xa. and josh.xa.	USPAT	OR	ON	2007/10/25 19:02
L185	31	campbell.xa. and joshua.xa.	USPAT	OR	ON	2007/10/25 19:02
L186	1215684	output\$ (pull\$5 push\$5) and subset ((style adj sheet) transform\$ translat\$ convert\$ format\$ view\$5 xslt) and select\$6 and xml	USPAT	OR	ON	2007/10/25 19:02
L187	21191	output\$ and (pull\$5 push\$5) and subset ((style adj sheet) transform\$ translat\$ convert\$ format\$ view\$5 xslt) and select\$6 and xml	USPAT	OR	ON	2007/10/25 19:02
L188	774	output\$ and (pull\$5 push\$5) and subset and ((style adj sheet) transform\$ translat\$ convert\$ format\$ view\$5 xslt) and select\$6 and xml	USPAT	OR	ON	2007/10/25 19:02
L189	141	output\$ and (pull\$5 push\$5) and subset and (transform\$ translat\$ convert\$ format\$ view\$5) and ((style adj sheet) xslt) and select\$6 and xml	USPAT	OR	ON	2007/10/25 19:02
L190	132	L189 not microsoft.as.	USPAT	OR	ON	2007/10/25 19:02
L191	293	resolv\$ with external with (link\$ reference\$)	USPAT	OR	ON	2007/10/25 19:02
L192	2969369	resolv\$ adj external adjh (link\$ reference\$)	USPAT	OR	ON	2007/10/25 19:02

EAST Search History

L193	54	output\$ and (pull\$5 push\$5) and subset and (transform\$ translat\$ convert\$ format\$ view\$5) and ((style adj sheet) xslt) and select\$6 and xml and compil\$ and (action event) and resolv\$	USPAT	OR	ON	2007/10/25 19:02
L194	90	resolv\$ adj external adj (link\$ reference\$)	USPAT	OR	ON	2007/10/25 19:02
L195	0	L193 and L194	USPAT	OR	ON	2007/10/25 19:02
L196	0	L189 and L194	USPAT	OR	ON	2007/10/25 19:02
L197	0	L194 and (action adj frame adj stack)	USPAT	OR	ON	2007/10/25 19:02
L198	0	(action adj frame adj stack)	USPAT	OR	ON	2007/10/25 19:02
L199	0	L194 and L168	USPAT	OR	ON	2007/10/25 19:02
L200	1	L194 and xml	USPAT	OR	ON	2007/10/25 19:02
L201	1	L194 and xsl\$	USPAT	OR	ON	2007/10/25 19:02
L202	0	L194 and (style with sheet)	USPAT	OR	ON	2007/10/25 19:02
L204	0	L203 and (root near action)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L205	0	L203 and (root near compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L206	0	L203 and (root with compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L207	0	L203 and (root same compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L208	2	L203 and (compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L209	0	L203 and (compil\$ near action)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L210	0	L203 and (compil\$ with action)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L230	0	L176 and L174	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L240	0	L203 and (pattern near match\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L242	14	("6571253").URPN.	USPAT	OR	ON	2007/10/25 19:02

EAST Search History

L243	2	xml xslt compil\$ (data near stor\$) xPath xpathnodeiterator xpathnavigator info set dom (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L244	2	xml xslt compil\$ (data near stor\$) xPath xpathnodeiterator xpathnavigator dom (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L245	2	xml xslt compil\$ (data near stor\$) xPath xpathnodeiterator xpathnavigator (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L246	3	xml xslt compil\$ (data near stor\$) xPath xpathnodeiterator xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L247	3	xml xslt compil\$ XPath xpathnodeiterator xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L248	270	xml xslt compil\$ XPath	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L249	5	xml xslt compil\$ XPath xpathnodeiterator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L250	6	xml xslt compil\$ XPath xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L251	2	((("6,256,678") or ("6,418.448") or ("6,209,124"))).PN. or ((2003/0074206) or (2003/0051236) or (2002/0169679) or (2003/0084120)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/10/25 19:02
L252	0	action with fram with stack	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L253	2458171	e	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L254	158	action with frame with stack	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L255	125	action with frame with stack	USPAT	AND	ON	2007/10/25 19:02
L256	0	L255 and xml	USPAT	AND	ON	2007/10/25 19:02
L257	0	L254 and xml	USPAT	AND	ON	2007/10/25 19:02

EAST Search History

L258	1	L254 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L259	364	action with frame with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L260	1	L259 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L261	753	\$xml xsl\$ xpath\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L262	753	\$3xml xsl\$ xpath\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L263	199	L262 and stack\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L264	573	L262 and ((select\$5 with output) view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L265	173	L263 and ((select\$5 with output) view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02

EAST Search History

L266	168	L265 and format\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L267	69	L266 and compil\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L268	60	L267 and ((data near stor\$3) datastor\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L269	42	L267 and (common with (format\$ represent\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L270	36	L268 and (common with (format\$ represent\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L271	1713	xpath	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L272	80	x with path with navigat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L273	6	xpath with iterat\$	USPAT	OR	ON	2007/10/25 19:02
L274	6	xpathnodeiterator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02

EAST Search History

L275	7	xpathdocument	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L276	1713	xpath neardocument	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L277	2	xpath near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L278	0	xpathnode near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L279	1	xpathnod\$ near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L280	1	xpathnod\$ with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L281	13	xpathnod\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L282	1	xpathnod\$ with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02

EAST Search History

L283	0	xpathnode with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L285	1	L284 and (data adj store)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L286	0	L284 and (datastore)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L287	0	(external with reference with resolv\$) and L284	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L288	386	(external with reference with resolv\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L289	0	L288 same (css xslt)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L290	1	L284 and stack	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L291	0	L285 and L290	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L292	1	L285 and compil\$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L293	0	L284 and ((action event) with stack)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L294	158	action with frame with stack	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L295	0	L294 and L284	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L296	1	L294 and xml	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L297	2264	stack and xml and transform\$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L298	509	stack and xml and transform\$	USPAT	OR	ON	2007/10/25 19:02
L299	687	campbell.xa.	USPAT	OR	ON	2007/10/25 19:02

EAST Search History

L300	0	campbell.xa. and josh.xa.	USPAT	OR	ON	2007/10/25 19:02
L301	31	campbell.xa. and joshua.xa.	USPAT	OR	ON	2007/10/25 19:02
L302	1215684	output\$ (pull\$5 push\$5) and subset ((style adj sheet) transform\$ translat\$ convert\$ format\$ view\$5 xslt) and select\$6 and xml	USPAT	OR	ON	2007/10/25 19:02
L303	21191	output\$ and (pull\$5 push\$5) and subset ((style adj sheet) transform\$ translat\$ convert\$ format\$ view\$5 xslt) and select\$6 and xml	USPAT	OR	ON	2007/10/25 19:02
L304	774	output\$ and (pull\$5 push\$5) and subset and ((style adj sheet) transform\$ translat\$ convert\$ format\$ view\$5 xslt) and select\$6 and xml	USPAT	OR	ON	2007/10/25 19:02
L305	141	output\$ and (pull\$5 push\$5) and subset and (transform\$ translat\$ convert\$ format\$ view\$5) and ((style adj sheet) xslt) and select\$6 and xml	USPAT	OR	ON	2007/10/25 19:02
L306	132	L305 not microsoft.as.	USPAT	OR	ON	2007/10/25 19:02
L307	293	resolv\$ with external with (link\$ reference\$)	USPAT	OR	ON	2007/10/25 19:02
L308	2969369	resolv\$ adj external adjh (link\$ reference\$)	USPAT	OR	ON	2007/10/25 19:02
L309	54	output\$ and (pull\$5 push\$5) and subset and (transform\$ translat\$ convert\$ format\$ view\$5) and ((style adj sheet) xslt) and select\$6 and xml and compil\$ and (action event) and resolv\$	USPAT	OR	ON	2007/10/25 19:02
L310	90	resolv\$ adj external adj (link\$ reference\$)	USPAT	OR	ON	2007/10/25 19:02
L311	0	L309 and L310	USPAT	OR	ON	2007/10/25 19:02
L312	0	L305 and L310	USPAT	OR	ON	2007/10/25 19:02
L313	0	L310 and (action adj frame adj stack)	USPAT	OR	ON	2007/10/25 19:02
L314	0	(action adj frame adj stack)	USPAT	OR	ON	2007/10/25 19:02
L315	0	L310 and L284	USPAT	OR	ON	2007/10/25 19:02
L316	1	L310 and xml	USPAT	OR	ON	2007/10/25 19:02
L317	1	L310 and xsl\$	USPAT	OR	ON	2007/10/25 19:02
L318	0	L310 and (style with sheet)	USPAT	OR	ON	2007/10/25 19:02
L320	0	L319 and (root near action)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02

EAST Search History

L321	0	L319 and (root near compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L322	0	L319 and (root with compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L323	0	L319 and (root same compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L324	2	L319 and (compil\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L325	0	L319 and (compil\$ near action)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L326	1937	(transform\$ translat\$) with xml with (documents items) with (xhtml \$3xml)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L327	591	(transform\$ translat\$) with xml with (documents items) with (format)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L328	139	(transform\$ translat\$) with xml with (documents items) with (format) with \$3xml	USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L329	1097	(transform\$ translat\$ conver\$) with xml with ("documents") with (format) with \$3xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 19:02
L330	14	("6571253").URPN.	USPAT	OR	ON	2007/10/25 19:02
L331	2	xml xslt compil\$ (data near stor\$) xPath xpathnodeiterator xpathnavigator info set dom (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L332	2	xml xslt compil\$ (data near stor\$) xPath xpathnodeiterator xpathnavigator dom (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L333	2	xml xslt compil\$ (data near stor\$) xPath xpathnodeiterator xpathnavigator (data near model) (cursor near model)	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L334	3	xml xslt compil\$ (data near stor\$) xPath xpathnodeiterator xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L335	3	xml xslt compil\$ xPath xpathnodeiterator xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02

EAST Search History

L336	270	xml xslt compil\$ xPath	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L337	5	xml xslt compil\$ xPath xpathnodeiterator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L338	6	xml xslt compil\$ xPath xpathnavigator	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L339	2	((("6,256,678") or ("6,418.448") or ("6,209,124"))).PN. or ((2003/0074206) or (2003/0051236) or (2002/0169679) or (2003/0084120)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2007/10/25 19:02
L340	0	action with fram with stack	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L341	2458171	e	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L342	158	action with frame with stack	US-PGPUB; USPAT; IBM_TDB	AND	ON	2007/10/25 19:02
L343	125	action with frame with stack	USPAT	AND	ON	2007/10/25 19:02
L344	0	L343 and xml	USPAT	AND	ON	2007/10/25 19:02
L345	0	L342 and xml	USPAT	AND	ON	2007/10/25 19:02
L346	1	L342 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L347	364	action with frame with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L348	1	L347 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02

EAST Search History

L349	753	\$xml xsl\$ xpath\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L350	753	\$3xml xsl\$ xpath\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L351	199	L350 and stack\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/25 19:02
L352	573	L350 and ((select\$5 with output) view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L353	173	L351 and ((select\$5 with output) view)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L354	168	L353 and format\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L355	69	L354 and compil\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L356	60	L355 and ((data near stor\$3) datastor\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02

EAST Search History

L357	42	L355 and (common with (format\$ represent\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L358	36	L356 and (common with (format\$ represent\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L359	1713	xpath	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L360	80	x with path with navigat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L361	6	xpath with iterat\$	USPAT	OR	ON	2007/10/25 19:02
L362	6	xpathnodeiterator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L363	7	xpathdocument	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L364	1713	xpath neardocument	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L365	2	xpath near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02

EAST Search History

L366	0	xpathnode near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L367	1	xpathnod\$ near iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L368	1	xpathnod\$ with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L369	13	xpathnod\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L370	1	xpathnod\$ with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L371	0	xpathnode with iterat\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/25 19:02
L372	4	(US-20020138582-\$ or US-20020169679-\$ or US-20020174147-\$ or US-20030051236-\$ or US-20030074206-\$ or US-20030084120-\$ or US-20030126136-\$ or US-20030149934-\$).did. or (US-6209124-\$ or US-6256678-\$ or US-6418446-\$ or US-6418448-\$ or US-6571253-\$ or US-6772413-\$). did.	US-PGPUB; USPAT	OR	ON	2007/10/25 19:02
L373	1	L372 and (data adj store)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02

EAST Search History

L374	0	L372 and (datastore)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L375	0	(external with reference with resolv\$) and L372	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L376	386	(external with reference with resolv\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L377	0	L376 same (css xslt)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L378	1	L372 and stack	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L379	0	L373 and L378	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L380	1	L373 and compil\$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L381	0	L372 and ((action event) with stack)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L382	158	action with frame with stack	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L383	0	L382 and L372	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L384	1	L382 and xml	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L385	2264	stack and xml and transform\$	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/10/25 19:02
L386	509	stack and xml and transform\$	USPAT	OR	ON	2007/10/25 19:02
L387	687	campbell.xa.	USPAT	OR	ON	2007/10/25 19:02
L388	0	campbell.xa. and josh.xa.	USPAT	OR	ON	2007/10/25 19:02
L389	31	campbell.xa. and joshua.xa.	USPAT	OR	ON	2007/10/25 19:02